Form 3160-3 (November 1983) (formerly 9-331C)

UNITED STATES

SUBMIT IN TR.__ICATE* (Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

DEPARTMENT OF THE INTERIOR 5. LEASE DESIGNATION AND SERIAL NO. u-7303 BUREAU OF LAND MANAGEMENT 6. IF INDIAN, ALLOTTEE OR TRIBE NAME APPLICATION FOR PERMIT DEEPEN OR PLUG BACK 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME DRILL A PLUG BACK DEEPEN b. TYPE OF WELL MAY 13 1988 MULTIPLE S. FARM OR LEASE NAME WELL X OTHER ZONE Gebauer-Groom 2. NAME OF OPERATOR DIVISION OF 9. WELL NO. Howell Oil Co. UIL GAS & MINING 3. ADDRESS OF OPERATOR 29 10. FIELD AND POOL, OR WILDCAT Box 367, Nexican Hat, Utah 84531 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) M exican Hat, Utah 1000 ft from the north line 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 1724 ft from the east line Sec 7,42S, 19E At proposed prod. zone 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 12. COUNTY OR PARISH | 13. STATE one half mile San Juan Utah 17. NO. OF ACRES ASSIGNED TO THIS WELL 15. DISTANCE FROM PROPUSED* 16. NO. OF ACRES IN LEASE LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 19. PROPOSED DEPT 20. ROTARY OR CABLE TOOLS 18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 235 22. APPROX. DATE WORK WILL START* 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 42041 $\overline{23}$. PROPOSED CASING AND CEMENTING PROGRAM WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT SIZE OF HOLE SIZE OF CASING ll in sacks 5/8 23 pd 21 ft 3/4 top of zone 25 sacks or hore 1, 2, 4, 5, 8, 9 3 surface formation Supai

- 6. estimated top of geological formatioon Goodridge 200ft plus
- 7. estimated depth of anticipated water, oil, or gas Goodridge zone 200 ft plus
- 10 pressure equipment, none, these shallow carry little or no pressure
- ll circulating medium, air and foam
- 12 .testing, logging -- samples only

24

- 13. abnormal pressures or temperatures, none-- no hydrogen sulfite
- 14. anticipated starting date reasonable time after approval duration of drilling six to ten days

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

SIGNED WESKear	TITLE V. Parelent DATE 5-148	8
(This space for Federal or State office use) PERMIT NO. 43-037-31420	APPROVED BY THE STATE OF UTAH DIVISION OF	
APPROVED BY	OH GAS, AND MINING	
CONDITIONS OF APPROVAL, IF ANY:	TITLE DATE 520 DATE STATE	
	WELL SPACING: 156-3	
	*See Instructions On Reverse Side/	

HOWELL

COMPANY	~#I	SORA OIL (COMPA	ANY				-
LEASE					WE	LL NO.	GEBAUER-GROOM RESENHOOVER	_#29
							S.L.M.	
LOCATION		FEET FROM				and		
ELEVATION _	•		11115	EASI	DIND.			-
SAN JU	AN CO	UNTY					UTAH	1
		 			@—/000/—	1 1 1	1724'	
		 	- 		· -, -	F		
		 		7		 		
		 				 		:
		 			. -	 		Z
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				† 		
		1				! !		
SURVEYS MA	CERTIFY	THAT THE ABOVE	RVISION	WAS PRE	PARED FR	OM FI	ELD NOTES OF ACTUA	AL O
SEAL:				9	Jam	es l	A Jeese and Surveyor. P. Leese Reg. #1472	Ξ
SURVEYED		30	Augo	est			, 19 34	_

(Re-entry)

-		, 0	e# 8-	29-88	$\overline{}$	
OPERATOR	How	ell Oil Co	· Wesgral	Torp. (NIOlec	DATE_	5-16-88
WELL NAM	E <u>Bebau</u>	er-broom	29			
SEC NW				9E cour	NTY <u>Sa</u>	n Juan
					1	
	43-037-3 API NU	31420 IMBER		T	Fed. YPE OF LE	ASE
CHECK OF	F:					
	PL	T	~	BOND		NEAREST WELL
	LE	ASE	~	FIELD		POTASH OR OIL SHALE
PROCESSI	NG COMMEN	TS:	A	156-3/	4 15 8x	·
		,	Call O NO.	150-0 1_	1-13-10	
_ <i>w</i>	eter permit	L OK				
APPROVAL	LETTER:					
SPACING:		615-2-3				R615-3-2
Si ACING.			۱U	IIT		
			156-3 CAUSE NO	4-15-80 D. & DATE		R615-3-3
STIPULAT	TIONS:					
- 						
		- 1				
<u></u>						



355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

May 20, 1988

Howell Oil Company P. O. Box 367 Mexican Hat, Utah 84531

Gentlemen:

Re: Gebauer-Groom 29 - NW NE Sec. 7, T. 42S, R. 19E 1000' FNL, 1724' FEL - San Juan County, Utah

Approval to drill the referenced well is hereby granted in accordance with the Order of Cause No. 156-3 dated April 15, 1980.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of an Entity Action Form within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form OGC-8-X.
- 4. Prompt notification if it is necessary to plug and abandon the well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or Jim Thompson, Lead Inspector, (Home) 298-9318.
- 5. Compliance with the requirements of Rule R615-3-22, Gas Flaring or Venting, Oil and Gas Conservation General Rules.
- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations.

Page 2 Howell Oil Company Gebauer-Groom 29 May 20, 1988

A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 538-6121.

7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31420.

Sincerely,

R. S. Finth

Associate Director, Oil & Gas

lr
Enclosures
cc: Branch of Fluid Minerals
 D. R. Nielson
8159T

Form 3160-3 (November 1983) (formerly 9-331C)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

(formerly 9-331C)		IED SIAIES		téverse siue)	Expires August	31, 1985
	DEPARTMEN	T OF THE INTE	KIOK		5. LEASE DESIGNATION	AND SERIAL NO.
	BUREAU OF	LAND MANAGEME	APINIDION OF	NAC	U-7303	
APPLICATION	FOR PERMIT	TO DRILL, DEEP	EN, OR PL	ÜĞ BACK	6. IF INDIAN, ALLOTTE	OR TRIBE NAME
In TYPE OF WORK	LL 🛎	DEEPEN		G BACK 🗆	7. UNIT AGREEMENT N	AMB -
	S OTHER		INGLE	MULTIPLE ZONE	8. FARM OR LEASE NA	KB
2. NAME OF OPERATOR	<u> </u>				Gebauer-Gro	om
Howell O	il Co.				9. WELL NO.	
3. ADDRESS OF OPERATOR					29	
P.O. Box 36	7, Mexican Hat	UtNH 845311	State requiremen	ts.*)	10. FIELD AND POOL, Mexican Hat	OR WILDCAT
At surface 10	00 ft from the	north line	_		11. SEC., T., R., M., OR	BLK.
	1724 ft fro	m the east line			AND SURVEY OR A	
At proposed prod. sone	e ge, Mendenhll	om Iittle loom			Sec 7, 425,	192
		AREST TOWN OR POST OFFIC	E*		12. COUNTY OR PARISH	13. STATE
one half	mile				San Juan	Utah
15. DISTANCE FROM PROPU LOCATION TO NEAREST PROPERTY OR LEASE L (Also to nearest drig	sed* 2 ine, ft.	00 10	0. OF ACRES IN I		OF ACRES ASSIGNED THIS WELL	
18. DISTANCE FROM PROPO TO NEAREST WELL, DE OR APPLIED FOR, ON THE	RILLING, COMPLETED,		or fire		rotary	
21. ELEVATIONS (Show whe	ther DF, RT, GR, etc.)				22. APPROX. DATE WO	RK WILL START*
4204					when approv	ed
23.		PROPOSED CASING AN	D CEMENTING	PROGRAM		
SIZE OF HOLE	BIZE OF CASING	WEIGHT PER FOOT	SETTING DE	PTH	QUANTITY OF CEME	NT

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED V--President

OATE 5--9-88

(This space for Federal or State office use)

PERMIT NO. 43-037-31420

APPROVAL DATE

JUN 24 1988

DATE

DATE

CONDITIONS OF APPROVAL, IF ANY :

CONDITIONS OF APPROVAL ATTACHED

*See Instructions On Reverse Side

COMPANY	WE	ESGRA	OIL (COMPA	MY					
LEASE	GEBAU	JER GI	ROOM			WE	LL NO.			_#29
sec7		т	42 5	5.	AUR. TO LOCATION	R_ <u>19</u>	Е,	S.L.N	M.	_
LOCATION	1724	FEET			NORTH EAST		and			
SAN JU							 		UTAH	
		1					1			7
		 				.,000/		- 172	? 4'	
		-; · ! ! ! ! ! !	· · · ·							-
		 			7	·P·Ve·	 		 	
		! ! !					; ! ! !			
							! ! !			N
									- -	-
SCALE - 1 INCH	I FOUALS	1000 FEET			L					.
THIS IS TO C SURVEYS MAD THE BEST OF	CERTIFY DE BY ME	THAT THE	E ABOVE	VISION		THE SAME	ARE T	RUE AND		
SEAL:					0	Jame	es P.	Surveyor. Lees		
SUBVEYED			30	Augus	s t				19 34 19	

Howell Oil Company Well No. Gebauer-Groom 29 Sec. 7, T. 42 S., R. 19 E. San Juan County, Utah Lease U-7303

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

B. THIRTEEN POINT SURFACE USE PLAN

- 1. Access road to the location will be approximately 10 feet wide and approximately 100 feet long.
- 2. Reserve pit will not be lined. Pit will be used as an emergency pit during production (no fencing required).
- 3. All trash will be hauled to the Mexican Hat dump.
- 4. The tank battery by the Gebauer-Groom #12 well will be utilized. All flowlines will be buried.
- 5. During abandonment, the location and all access will be ripped 3 inches deep and seeded with:

2 lbs/acre Fourwing Saltbush

Ĺ

6. If at any time the facilities located on public lands authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundry change) the BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental, or other financial obligation determined by the authorized officer.

NOTIFICATIONS

Notify the San Juan Resource Area, at (801) 587-2144 for the following:

2 days prior to commencement of dirt work, construction or reclamation;

1 day prior to spudding;

Notify the Moab District Office, Branch of Fluid Minerals at (801) 259-6111 for the following:

No well abandonment operations will be commenced without the prior approval of the District Manager. In the case of newly drilled dry holes, and in emergency situations, verbal approval can be obtained by calling the following individuals, in the order listed.

Dale Manchester, Petroleum Engineer Office Phone: (801) 259-6111

Home Phone: (801) 259-6239

Lynn Jackson, Chief, Branch of Fluid Minerals

Office Phone: (801) 259-6111

Home Phone: (801) 259-7990

Paul Brown, I&E Coordinator Office Phone: (801) 259-6111

Home Phone: (801) 259-7018

24 hours advance notice is required for all abandonments.

1

under the Howell*Wesgro name, but wells to operated in the past by Howell

and the above wells will go to Howled using Born is cawing under wisgia.

Subsurface Safety Valve: Manu. and T	ype	· ·-	Set @ _	<u> </u>	_ Ft.
18. I hereby certify that the foregoing SIGNED		DATE _	8-20-88		
	(This space for Federal or State office use)	· - · · · · · · · · · · · · · · · · · ·		i i i i i i i i i i i i i i i i i i i	
APPROVED BY	TITLE	_ DATE			

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

API NO. 43-037-31420

NAME OF COMPANY:_	HOWELL-WESGRA			
	GEBAUER-GROOM	‡29		
SECTION NWNE 7	TOWNSHIP 42S	RANGE 19E	COUNTY SAN JUAN	1
DRILLING CONTRACTO	OR QUALITY			
RIG #1				
SPUDDED: DATE_	10/24/88			
TIME	3:00 p.m.			
How	ROTARY	• •		
DRILLING WILL COM	MENCE			
			•	
REPORTED BY	BILL SKEEN			
		- -		
		<i>:</i>		
DAIE 10/24/88	}	SIGNED	TAS	

STATE	O F	UTA	λH			
DIVISI	ON	ΩF	OIL.	GAS	AND	MINING

ENTITY ACTION FORM - DOGM FORM 6



Howell Oil Co. (Howell-Wesgra Dillo.)

ADDRESS __ P.O. Box 367

Mexican Hat, Utah 84531

DIVISION OF

OIL GAS & MINING .. CHANGE IN CREATIONS

CURRENT	NEW	AP! NUMBER	WELL NAME			WELL	LOCAT	ION	SPUD	EFFECTIVE
ENTITY NO.	ENTITY NO.			90	sc	TP	RG	COUNTY		DATE
99999	10945	82-637-3142	o Gebauer-Groom 29	N.E	7	42S	.19	E San Juan	10-24-88	10-26
Federal -	Lease	Propo	sed Zone - GDRSD	11 (1		~	10	1 -1	1.1.	1001/2
Field-ma	exican Hat	(only we	11 in sec. Operated by - Howe	11-We	sg r	20,	1 Co.	HSSign ne	wentity	10775/
Notina	Unit		m 11-15-88. FCL		,				V	
					l					
					-		·			
:										
				<u> </u>	1					
						-			4	
					<u> </u>	<u>. </u>				
]				
				<u> </u>		<u> </u>	ļ			
	ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO. ENTITY NO.	ENTITY NO FITTY NO.

ACTION CODES: A - ESTABLISH NEW ENTITY FOR NEW WELL

B - ADD NEW WELL TO EXISTING ENTITY

C - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO ANOTHER EXISTING ENTITY

D - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO A NEW ENTITY

E - OTHER (EXPLAIN IN COMMENTS SECTION) (SEE INSTRUCTIONS)

TITLE

(November 1983)		UN -	ED ST	ATES	SUE	BMIT IN	DUPLIC S	• E		reau No. 1004-0137 igust 31, 1985
BEST COPY	DEPAR'		OF T)R	structions reverse s	on	SE DESIGNA	TION AND SERIAL NO
				TO THE		Carac	23)	- 6 IF	U-730	OTTEE OR TRIBE NAM!
WELL CO	MPLETION	OR RE	COMPLE	HAF	9298		D LOG*		,	
1a. TYPE OF WEL	WE		ELL .		Other			7. UNI	T AGREEME	NT NAME
b. TYPE OF COM	PLETION: WORK DEI OVER EN	EP- P		DIFF. EESVE	AN 09	1989	was self	S. FAR	M OR LEASI	E NAME
2. NAME OF OPERAT					DividiUN	ΛĽ		G	ebauei	r-Groom
Howell 3. ADDRESS OF OPE	Oil Co.			OIL,	GAS & A	UF MNING		9. WE		
			. U.+	i Heah	di EST	1		10. FI	29 ELD AND PO	OL, OR WILDCAT
P.O. B					y State rec	uiremen	ta) *		lexica	n Hat ^s
At surface	1000' fr		north 24' fro		• n s+	1 d ne		11. SE	C., T., R., M. LAREA	OR BLOOK AND BURVE
At top prod. in	terval reported be	elow 1/4	2 4 . II.C	om the	easu	TIME	:	Se	c 7. 1	425, 19E
At total depth	same									
			İ	PERMIT NO.		1	ISSUED	PA	UNTY OR BISH	13. STATE
15. DATE SPUDDED	16. DATE T.D. I	REACHED 1	LA3	-037-3	1420 o prod.)"		ay 20,	88 San		BLEV. CASINGHEAD
10-21-88	10-30-	-88	12-20	-88	İ		.204 1			42041
20. TOTAL DEPTH, MD	A TVD 21. PLU	IG, BACK T.D.,	MD & TVD	22. IF MUL HOW M		PL.,	23. INTERVA	BY ROTAL	NY TOOLS	CABLE TOOLS
230 t 24. PRODUCING INTE	RVAL(S), OF THIS	COMPLETION	N—TOP, BOTTO	M, NAME (A	AD AND TV	D) •	<u> </u>	rot	ary	25. WAS DIRECTIONAL
	idge zone		3 to 20				Ć.	•		no
26. TYPE ELECTRIC	AND OTHER LOGS	RUN		· · · · · · · -					27.	WAS WELL CORED
	samples									70
28.	•		CASING RE		ort all stri	ings set i		TING RECORD		
CASING SIZE	WEIGHT, LB.	TT. DEP	TH SET (MD)		5 171	_				AMOUNT PULLED
7.5/8"	23pd		21 50' 192'		7 7/8		5 sacks 20 sa	cks		
		LINER RE	CORD			!	30.	TUBING	RECORD	
SIZE	TOP (MD)	воттом (CEMENT*	SCREEN	(MD)	SIZE		ET (MD)	PACKER SET (MD)
31. PERFORATION RE	CORD (Interval. s	ize and num	her)		82.	Ar	DD. SHOT. FF	ACTIPE C	EMENT SO	HEPZE ETC
DI. I BRIONATION NO	(2.000, 000, 0		··· ,			INTERVA				MATERIAL USED
ope	n hole									
						1				
33.*				PRO	DUCTION		1			
DATE FIRST PRODUCT	PROD PROD			, gae lift, p	umping—s	ize and 1	ype of pump)	}	ahut-in)	A •
12020-88	HOURS TESTED	римр:		od'n. For	OILBB	L.	GAS-MCF.	WATE	Shi RBBL.	UC 1N GAS-OIL RATIO
12-20-88				ST PERIOD	less	n	none		ORE	
PLOW. TUBING PRESS.	CASING PRESSU		LATED OH	BBI		8 M CF.		TERHBL.		GRAVITY-API (CORB.)
34. DISPOSITION OF	AR (Sold used to	r fuel penter		ss 🛓				TEST	WITNESSED	? BY
or. Distribution Of	(. ,,	-,,							Palmer
35. LIST OF ATTACH	MENTS				· · · · · · · · · · · · · · · · · · ·					
36. I hereby certify	that the force-1	ne and att-	ched informa-	tion to com-	lete and a	nrreet -	determined t	rom all ave	lable recor	18
	I SK		ruen immining							
~~~~~~ L	11 /K	000		ጥ፤ጥ፤.ነን	V_P~	esid	ent.		DATE	1-4-89

,,

				Form approv I Budget Bure	ed. au No. 1004-0135
Form 3160-5	מפר אט	STATES	SUBMIT IN TRIPI ATE	Expires Aug	ust 31, 1985
November 1983) Formerly 9-331)	DEPARTMEN OF	THE INTERIC	)K . erse alde)	į.	ION AND SERIAL NO.
	BUREAU OF LAN	D MANAGEME! T		U-7303	TTEE OR TRIBE NAME
CLIN	IDRY NOTICES AN	D REPORTS O	N WELLS	O. IF INDIAN, ALLO	FIRE OR IRISE MARE
(Do not use this	form for proposals to drill of Use "APPLICATION FOR P	to deepen or plug ba	ck to a different reservoir.		
(20 not the 1215	Use "APPLICATION FOR P	ERMIT— for adea pro	JUBALO. /	7. UNIT AGREEMENT	T NAME
OIL GAS					
WELL WELL	OTHER			8. FARM OR LEASE	
NAME OF OPERATOR	יי מים		Copper last la gray last la gray last la gray last la gray la la gray la la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gray la gr	Gebaue	r-Groom
Howell Of	R CO.			9. WBLL NO.	^
	367, Mexican H	at. Uta			7
	Report location clearly and in	Mecologue, wien a.	e requirements.	10. FIELD AND POO	
See also space 17 bel At surface	low.)	(a) (a) (b)	MAY 15 1989 😂	Mexican	
				11. SEC., T., R., M., SURVEY OR	ARMA
		***	DIVISION OF	Sec 7, 4	19E
			, GAS & MINING	12. COUNTY OR PA	RIGHT 13. STATE
14. PERMIT NO.	15. ELEVATI	IONS (Show whether	<i>R</i> 2	San Juar	1
13-037-	31420				
6.	Check Appropriate	Box To Indicate N	ature lotice, Report, or	Other Data	
	NOTICE OF INTENTION TO:	!		EQUENT REPORT OF:	
			£B SHUT-OFF	REPAIR	ING WELL
TEST WATER SHUT-	ļ <del></del> [		FRACTURE TREATMENT		NG CABING
FRACTURE TREAT	MULTIPLE CO	T T	SHOOTING OR ACIDIZING	ABANDO	NMENT. X
SHOOT OR ACIDIZE	CHANGE PLAN	5	(Other)		
REPAIR WELL (Other)	(Hartor I bar		(Norz: Report resu Completion or Reco	lts of multiple comple apletion Report and Lo	tion on Well og form.)
C	overed bottom 4.5 ft of top and	10 ft. with a capped with	cement, filled and the cement.	with sand <b>u</b>	ρ
SIGNED W	at the foregoing is true and c	orrect TITLE _	V- President	DATE 5-	-9 <b>-</b> 89
		TITLE		DATE	

# *See Instructions on Reverse Side

TITLE ___

See Instructions on Reverse Side ...

Form Approved.

Budget Bureau No. 42-R1424

# STATE OF UTAH

Other instructions on

	DIVISION OF OIL, GAS, AND	MINING	5. LEASE DESIGNATION AND E
	NOTICES AND REPORTS r proposals to drill or to deepen or plus period for PERMIT—" for such		6. IF INDIAN, ALLOTTER OR 1
OIL X UAB	THER	FEB 07 1990	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Wesgra Corp	oonstidn	Emission of	8. FARM OR LEASE NAME Gebauer-Gro
3. ADDRESS OF OPERATOR		UR GAS & WINING	9. WELL NO.
P.O. OX 36	7, Mexican Hat, Utah	1 84551	29
At surrace	000' from the north 724' from the east 1	11110	Mexican Hat  11. SEC. 7. 8. M., OR BLX. A  Sec 7, 425, 19
14. PERMIT NO.	15. BLEVATIONS (Show whether	r DF, RT, GR, etc.)	12. COUNTY OR PARISH 18.
43-037-31420	4203	N. A.M. B.	San Juan   U
	nck Appropriate Box To Indicate on intention to:	· · ·	or Other Data
TEST WATER SEUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON®	WATER SHUT-OFF FRACTURE TREATMENT SHOUTING OR ACIDIZING	REPAIRING WELL ALTERING CASING ABANDONMENT®
REPAIR WELL  (O.b.) re-enter	CHANGE PLANS	(Other)	suits of multiple completion on W
geologist	wes plugged 3-27-89, we would like to re- loop or horn lime.	however on the a enter and take it	dvise of our on down to
Th¶s well geologist	we would like to re-	-enter and take it	dvise of our on down to
Th¶s well geologist	we would like to re- loop or horn lime.	-enter and take it	on down to
Th¶s well geologist	we would like to re- loop or horn lime.	-enter and take it	on down to
Th¶s well geologist	we would like to re- loop or horn lime.	-enter and take it	on down to
Th¶s well geologist	we would like to re- loop or horn lime.	-enter and take it	on down to
Th¶s well geologist	we would like to re- loop or horn lime.	-enter and take it	on down to
Th¶s well geologist	we would like to re- loop or horn lime.	-enter and take it	on down to
Th¶s well geologist	we would like to re- loop or horn lime.	-enter and take it	on down to
Th\$s well geologist the little	we would like to re- loop or horn lime.  Than  Than	-enter and take it	on down to  To'estimate approx. 450!
This well geologist the little	we would like to re- loop or horn lime.  Than  Than	-enter and take it	on down to
This well geologist the little  18. I hereby certify that the for SIGNED  (This space for Federal or SAPEROVED BY	we would like to re- loop or horn lime.  Than  Than  State office use)	-enter and take it  aks  President  ACCEPTE  OF UTA	DBY THE STATE  H DIVISION OF
This well geologist the little  18. I hereby certify that the for SIGNED  (This space for Federal or SAPEROVED BY	esping is true and correct  Title  State office use)	President  ACCEPTE OF UTA	DBY THE STATE



# State-of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Governor
Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

March 12, 1990

Mr. W. E. Skeen Wesgra Corporation P.O. Box 367 Mexican Hat, Utah 84531

Dear Mr. Skeen:

Re: Request for Reentry and Deepening, Gebauer-Groom #29 and #30 Wells, Section 7, Township 42 South, Range 19 East, San Juan County, Utah

The Division of Oil, Gas and Mining has recently received two sundry notices requesting approval of reentry and deepening operations for the referenced wells. In addition, a completion report for the #30 well has also been received indicating that the well was deepened and completed in the Little Loop formation. This letter explains the state well spacing requirements for the Mexican Hat area and provides approval of the deepening operations limited to the Goodridge, Mendenhall, or Little Loop formations.

Well spacing in the Mexican Hat field is currently established by the orders in Cause Numbers 156-1, 156-2, and 156-3. These orders address the well spacing requirements in the Goodridge, Mendenhall, Little Loop formations in which substantial flexibility is allowed in siting and locating wells. The Horn Lime formation is not included in the spaced formations designated by the orders, and it is therefore covered under Rule R615-3-2 of the Oil and Gas Conservation General Rules which allows for well siting on approximately 40 acre tracts. It is the interpretation of the geological staff of the Division that the Horn Lime formation is actually a member of the Paradox formation of the Hermosa group which correlates to the Ismay-Desert Creek producing zones in other areas of the Paradox basin.

For these reasons, the Division can only approve the proposed reentry and deepening operations within the Goodridge, Mendenhall, and Little Loop formations. If it is still your intent to complete any wells into the Horn Lime formation, then you must comply with the conditions of general state well siting requirements or you must provide the necessary information for an exception location request as described in Rule R615-3-3 of the Oil and Gas Conservation General Rules. Copies of the applicable rules are included for your information.

Page 2 Mr. W. E. Skeen March 12, 1990

I hope this adequately explains the Division's requirements. If you have any further questions concerning this matter, please contact me at this office.

Sincerely,


John R. Baza Petroleum Engineer

Enclosure

cc: D. R. Nielson

R. J. Firth

OI2/282-283



# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

March 12, 1990

Wesgra Corporation P. O. Box 367 Mexican Hat, Utah 84531

### Gentlemen:

Re: Gebauer-Groom 29 - NW NE Sec. 7, T. 42S, R. 19E - San Juan County, Utah 1000' FNL, 1724' FEL

Approval to reenter the referenced well is hereby granted in accordance with the Order of Cause No. 156-3 dated April 15, 1980.

In addition, the following actions are necessary to fully comply with this approval:

- Spudding notification within 24 hours after drilling operations commence. 1.
- Submittal of an Entity Action Form within five working days following spudding and whenever a change in operations or interests necessitates an 2. entity status change.
- Submittal of the Report of Water Encountered During Drilling, Form 7. 3.
- Prompt notification if it is necessary to plug and abandon the well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 4. 298-7695, or Jim Thompson, Lead Inspector, (Home) 298-9318.
- Compliance with the requirements of Rule R6I5-3-20, Gas Flaring or Venting, Oil and Gas Conservation General Rules. 5.
- Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local 6. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 538-6121.

Page 2 Wesgra Corporation Gebauer-Groom 29 March 12, 1990

7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31420.

Sincerely,

Associate Director, Oil & Gas

lcr

**Enclosures** 

cc: Bureau of Land Management

D. R. Nielson

J. L. Thompson

WE14/7-8

STATE OF UTAH

SUBMIT IN DUPLICATE*

U	<b>-</b> 7303		
2102	DESIGNATION	AND	SERTAT.

OIL & GAS CONSERVATION COMMI	18810	JΝ

								77 B		6. IF INDI	AN, ALLO	TTEE OR TRIBE NAM!
WELL CO	MPLETION	I OR	RECON	MPLETIO	)N R	EPGR	PAN	D ROC		n)		
1a. TYPE OF WEL	L: OII	LL 🗆	GAS WELL	DRY		Other		and a		T. UNIT A	REEMEN	T NAME
b. TYPE OF COM			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			and Early	MAR	30 199	ر آه			
NEW WELL	WORK DE	EP-	PLUG BACK	DIFF. RESVR.		Other		90 199	<u>U</u>	FARM O	R LEASE	NAME
2. NAME OF OPERAT	or						allyis	WW OF		,		-Groom
Wesg	ra Oil C	orpo:	ratio	n		UII	GAS	<del>s minini</del> San Of		9. WELL N		
3. ADDRESS OF OPE	RATOR								-		29	L, OR WILDCAT
P.O.  4. LOCATION OF WEI	Box 367	, Me:	<b>xic</b> an	Hat, 1	Jtak	<u> 845</u>	<u> 31–3</u>	10-367	<u> </u>		-	Hat
4. LOCATION OF WEI	.L (Report locat	ion clearl	y and in a	occordance wi	ith any 1001	state req rth 1	inemeni ine	:8}-		11 SEC. 1	I Call	OR BLOCK AND SURVEY
			-	from				9		OR AR	EA A	20 700
At top prod. int	erval reported b	elow	•							sec	4 و1	2S, 19E
At total depth	same											
				14. PERM				ISSUED		12. COUNT		13. STATE
				1		31420				San		Utah
	16. DATE T.D.		1		ady to	prod.)	18. ELEV	ATIONS (DI 4204		RT, GR, ETC.)	• 19.	same
3-14-90	3-22-			<b>-24-9</b> 0			n	42 UZ		ROTARY T	8,100	CABLE TOOLS
20. TOTAL DEPTH, MD	A TVD 21. PL	UG, BACK	T.D., MD &	TVD   22. II	F MULT	TIPLE COM	PL.,		LED BY	rot		
24. PRODUCING INTER	WAY (C) OF THE	COMPLE	TIONTOP	POTTOM NA	ME (M	D AND TV	n)*		<u>→                                     </u>			5. WAS DIRECTIONAL
								E60	٠ + ٥	610 <b>'</b>		SURVEY MADE
Goodrid	ge 19	98' t	0 219	1	ТΙ.	ttle	тоор	200	. 10	010.		no
26. TYPE ELECTRIC	ND OTHER LOGS	RUN									27. 1	WAS WELL CORED
sam	ples onl	v										no
28.	<del>P</del>		CASI	NG RECORI	(Rep	ort all str	ings set i					
CASING SIZE	WEIGHT, LB	./FT.	DEPTH SE	T (MD)		LE SIZE			ENTING	RECORD		AMOUNT PULLED
7.5/8"	23pd		231			9 5/8			acks			
5袁"	14pc	<u> </u>	192		6	3/4"		20 s	acks			
	_	-										
29.	·	LINER	RECORD					30.		TUBING RE	CORD	
SIZE	TOP (MD)	,	M (MD)	SACKS CEMI	ENT*	SCREEN	(MD)	SIZE		DEPTH SET		PACKER SET (MD)
							·					
		_										
31. PERFORATION RE	CORD (Interval,	size and	number)			32.	AC	ID, SHOT,	FRACT	URE, CEMI	ENT SQU	JEEZE, ETC.
						DEPTH	INTERVA	L (MD)	AM	OUNT AND	CIND OF	MATERIAL USED
											<del></del>	
33.*				~~~	PROI	DUCTION						
DATE FIRST PRODUCT	TION PRO	DUCTION	METHOD (	Flowing, gas	lift, pi	umping—s	ize and t	ype of pun	ıp)		LL STAT	US (Producing or
3-25-90		กนท	ping							'		oducing
DATE OF TEST	HOURS TESTE		OKE SIZE	PROD'N. TEST PE		OIL—BÉ	L.	GAS-MC	F.	WATER-	BBL.	GAS-OIL BATIO
3 <b>-</b> 25-90	24	<u> </u>			<b>→</b>	3		non		none		<u> </u>
FLOW. TUBING PRESS.	CASING PRESS		LCULATED -HOUR RAT	OIL—BBI	L.	GA J	S-MCF.	1	WATER-	—BBL.	OIL	GRAVITY-API (CORR.)
24 51000000000000000000000000000000000000	im (State mane)	om 44 s1 ::				1				TEST WIT	NEGRED	NA.
34. DISPOSITION OF	ias (Soia, usea j	or juei, v	entea, etc.)	)						1		ss Palmer
35. LIST OF ATTACH	MENTS									00	II. OT S	ss raimer
U. DINA OF MILACE												
36. I hereby certify	that the foreg	ong and	attached i	nformation is	s comp	olete and	correct a	determin	ed from	all availabl	e record	18
	1.00 1	D.			k	2	01	. <del>-A-</del>				3-28-90
SIGNED	ve /	, L	$\sim$	TITL	E 🛎	10	20	الهما		DA	TE	7-20-90

# STATE OF UTAH

DIVISION OF OIL, GAS AND MINING
355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 3 of 4

## MONTHLY OIL AND GAS PRODUCTION REPORT

BILL SKEEN WESGRA CORPORATION PO BOX 367 MEXICAN HAT UT 84531  Vell Name Producing Vell Days Producing Vell Changes  Producing Vell Days Producing Vell Changes  Vell Name Parity Leation CEFAUER-GROOM 33 4303731209 13004 425 196 7 GEBAUER-GROOM 12-A 4303731212 11004 425 196 7 GEBAUER-GROOM 52 4303731212 11004 425 196 7 GEBAUER-GROOM 52 4303731212 11004 425 196 13034131393 11004 425 197 LTLLP GEBAUER-GROOM 50 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 50 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 70 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 70 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731583 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 71 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 74 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 74 4303731507 11004 425 196 7 LTLLP GEBAUER-GROOM 74 4303731507 11004 425 196 7 LTLLP	OPERATOR NAME AND ADDRESS					W1060	
WESCRA CORPORATION PO BOX 367  MEXICAN HAT UT 84531  AMENDED REPORT□ (Highlight Changes)    Vol. Number	OPERATOR NAME AND ADDRESS:			UTAH	ACCOUNT NUMBER	N1060	
MEXICAN HAT UT 84531  AMENDED REPORT (Highlight Changes)  Well Name Production Volumes  Open OIL(BBL) GAS(MCF) WATER(BBL)  GEBAULER-GROON 33 4303731209 11004 425 19E 7 GDRSD 64303731239 11004 425 19E 7 HNKRT 6EBAULER-GROON 40 430373139 11004 425 19E 7 HNKRT 6EBAULER-GROON 50 6EBAULER-GROON 50 430373139 11004 525 19E 7 HNKRT 6EBAULER-GROON 50 4303731353 11004 525 19E 7 LTLLP 6EBAULER-GROON 50 4303731353 11004 525 19E 7 LTLLP 6EBAULER-GROON 50 4303731358 11004 525 19E 7 LTLLP 6EBAULER-GROON 50 4303731358 11004 525 19E 7 LTLLP 6EBAULER-GROON 70 4303731368 11004 525 19E 7 LTLLP 6EBAULER-GROON 70 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP 6EBAULER-GROON 71 4303731369 11004 425 19E 7 LTLLP	WESGRA CORPORATION			REPO	RT PERIOD (MONTH	/YEAR): 8 / 95	5
Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Comp		MEVICAN HAT HT 9/523					
Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Comp	Vell Name	Producing	Well	Davs		Production Volumes	
GEBAUER-GROOM 33 4303731309 11004 42S 19E 7 GDRSD GEBAUER-GROOM 102-A 4303731212 11004 42S 19E 7 HNKRT GEBAUER-GROOM 30 4303731390 11004 42S 19E 7 HNKRT GEBAUER-GROOM 29 4303731370 11004 42S 19E 7 HNKRT GEBAUER-GROOM 52 4303731570 11004 42S 19E 7 HNKRT GEBAUER-GROOM 52 4303731583 11004 42S 19E 7 LTLLP GEBAUER-GROOM 54 4303731585 11004 42S 19E 7 LTLLP GEBAUER-GROOM 54 4303731578 11004 42S 19E 7 LTLLP GEBAUER-GROOM 70 4303731583 11004 42S 19E 7 LTLLP GEBAUER-GROOM 70 4303731585 11004 42S 19E 7 LTLLP GEBAUER-GROOM 71 4303731585 11004 42S 19E 7 LTLLP GEBAUER-GROOM 71 4303731585 11004 42S 19E 7 LTLLP GEBAUER-GROOM 71 4303731585 11004 42S 19E 7 LTLLP GEBAUER-GROOM 72 4303731691 11004 42S 19E 7 LTLLP GEBAUER-GROOM 72 4303731704 11004 42S 19E 7 LTLLP GEBAUER-GROOM 74 4303731704 11004 42S 19E 7 LTLLP GEBAUER-GROOM 74 4303731707 11004 42S 19E 7 LTLLP				1	OIL(BBL)	<del></del>	WATER(BBL)
### ##################################						0.00,000,000	WIII LIK(LIDE)
#303731212   1004   42S   19E   7		GDRSD					
CEBAUER-GROOM 30							
GEBAUER-GROOM 29  #303731428 11004 425 19E 7 HNKRT GEBAUER-GROOM 52  #303731579 11004 425 19E 7 HNKRT GEBAUER-GROOM 56  "373731583 11004 425 19E 7 LTLLP GEBAUER-GROOM 60  #303731585 11004 425 19E 7 LTLLP GEBAUER-GROOM 70  #303731678 11004 425 19E 7 LTLLP GEBAUER-GROOM 71  #303731683 11004 425 19E 7 LTLLP GEBAUER-GROOM 71  #303731685 11004 425 19E 7 LTLLP GEBAUER-GROOM 71  #303731685 11004 425 19E 7 LTLLP GEBAUER-GROOM 72  #303731694 11004 425 19E 7 LTLLP GEBAUER-GROOM 72  #303731704 11004 425 19E 7 GDRSD GEBAUER-GROOM 74  #303731704 11004 425 19E 7 LTLLP  GEBAUER-GROOM 74  #303731707 11004 425 19E 7 LTLLP  TOTALS		HNKRT					
#303731420 11004 42S 19E 7 HNKRT  GEBAUER-GROOM 52  4303731579 11004 42S 19E 7 HNKRT  GEBAUER-GROOM 58  13731583 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 54  4303731585 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 54  4303731681 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 70  4303731683 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  4303731685 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  43037331695 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 72  43037331694 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 72  43037331707 11004 42S 19E 7 LTLLP  TOTALS		HNKRT					
GEBAUER-GROOM 52 4303731579 11004 42S 19E 7 HNKRT GEBAUER-GROOM 58 13731583 11004 42S 19E 7 LTLLP LABAUER-GROOM 60 4303731585 11004 42S 19E 7 LTLLP GEBAUER-GROOM 70 4303731678 11004 42S 19E 7 LTLLP GEBAUER-GROOM 70 4303731683 11004 42S 19E 7 LTLLP GEBAUER-GROOM 71 4303731685 11004 42S 19E 7 LTLLP GEBAUER-GROOM 72 43037331694 11004 42S 19E 7 LTLLP GEBAUER-GROOM 72 4303731704 11004 42S 19E 7 GDRSD GEBAUER-GROOM 74 4303731704 11004 42S 19E 7 LTLLP TOTALS  DMMENTS		UNKOT		:			
4303731579 11004 42S 19E 7 HNKRT  GEBAUER-GROOM 58  'A3731585 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 54  4303731578 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 70  4303731683 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  4303731685 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 3  4303731685 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 72  4303731704 11004 42S 19E 7 GDRSD  GEBAUER-GROOM 74  4303731704 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  4303731704 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  4303731704 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 72  4303731704 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  4303731704 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  GEBAUER-GROOM 71  GEBAUER-GROOM 71  GEBAUER-GROOM 72  GEBAUER-GROOM 71  GEBAUER-GROOM 72  GEBAUER-GROOM 71  GEBAUER-GROOM 72  GEBAUER-GROOM 71  GEBAUER-GROOM 72  GEBAUER-GROOM 72  GEBAUER-GROOM 74  GEBAUER-GROOM 74  GEBAUER-GROOM 74  GEBAUER-GROOM 75  GEBAUER-GROOM 75  GEBAUER-GROOM 76  GE		חאותו	<del></del>	<u> </u>			
** 3731583 11004 42S 19E 7 LTLLP  **LBAUER-GROOM 60  **4303731585 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 74  **4303731678 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 70  **4303731683 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 71  **4303731685 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 3  **4303731694 11004 42S 19E 7 LTLLP  GEBAUER-GROOM 72  **4303731704 11004 42S 19E 7 GDRSD  GEBAUER-GROOM 74  **4303731707 11004 42S 19E 7 LTLLP  **TOTALS**  **TOTALS**	4303731579 11004 425 19E 7	HNKRT				·	
#303731585 1004 #2S 19E 7 LTLLP  GEBAUER-GROOM 54  #303731678 1004 #2S 19E 7 LTLLP  GEBAUER-GROOM 70  #303731683 1004 #2S 19E 7 LTLLP  GEBAUER-GROOM 71  #303731685 11004 #2S 19E 7 LTLLP  GEBAUER-GROOM 3  #303731694 11004 #2S 19E 7 LTLLP  GEBAUER-GROOM 72  #303731704 11004 #2S 19E 7 GDRSD  GEBAUER-GROOM 74  #303731707 11004 #2S 19E 7 LTLLP  TOTALS	' \3731583 11004 425 19E 7	LTLLP					
GEBAUER-GROOM 54  \$303731678		LTLLP					
4303731683 11004 425 19E 7 LTLLP  GEBAUER-GROOM 71 4303731685 11004 425 19E 7 LTLLP  GEBAUER-GROOM 3 4303731694 11004 425 19E 7 LTLLP  GEBAUER-GROOM 72 4303731704 11004 425 19E 7 GDRSD  GEBAUER-GROOM 74 4303731707 11004 425 19E 7 LTLLP  TOTALS	GEBAUER-GROOM 54	LTLLP					
4303731685 11004 425 19E 7 LTLLP  GEBAUER-GROOM 3 4303731694 11004 425 19E 7 LTLLP  GEBAUER-GROOM 72 4303731704 11004 425 19E 7 GDRSD  GEBAUER-GROOM 74 4303731707 11004 425 19E 7 LTLLP  TOTALS  DMMENTS		LTLLP	* // 1			-	
#30373169# 1100# #25 19E 7 LTLLP  GEBAUER-GROOM 72 #30373170# 1100# #25 19E 7 GDRSD  GEBAUER-GROOM 74 #303731707 1100# #25 19E 7 LTLLP  TOTALS  DMMENTS	4303731685 11004 425 19E 7	LTLLP					
GEBAUER-GROOM 72 4303731704 11004 425 19E 7 GDRSD  GEBAUER-GROOM 74 4303731707 11004 425 19E 7 LTLLP  TOTALS  DMMENTS:							
4303731704 11004 425 19E 7 GDRSD GEBAUER-GROOM 74 4303731707 11004 425 19E 7 LTLLP  TOTALS  OMMENTS:		LILLP		<u> </u>			
GEBAUER-GROOM 74 4303731707 11004 425 19E 7 LTLLP  TOTALS  DMMENTS:		GDRSD					
DAMENTS:							
OMMENTS:	4303731707 11004 425 19E 7	LTLLP					
				TOTALS			
				•			
	)MMENTS:			<del>-</del>		·	
nereby certify that this report is true and complete to the best of my knowledge.  Date:							
	nereby certify that this report is true and complete to	the best of my	knowledge	<b>à</b> .	Da	te:	

Form 3160-5 (June 1990)

# UTA TVISION OF OIL, GAS & MINUNITED STATES UNITED STATES

FORM APPROVED Budget Bureau No. 1004-0135

BUREAU OF I	AND MANAGEMENT SEP 2 0 1995	5. Lease Designation and Serial No.
	AND REPORTS ON WELLS  III or to deepen or reentanto Planter reserves  R PERMIT—" for such proposale	Min Indian, Allottee or Tribe Name
Use "APPLICATION FOI	R PERMIT—" for such proposals	
	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		
Oil Gas Other		8. Well Name and No.
2. Name of Operator Wesgra Corporation		9. API Well No.
3. Address and Telephone No.		
P.O. Box 310367, Mexican	Hat Utah 84531	10. Field and Pool, or Exploratory Area
17 small producing oil to lease—Goodridge Trust		11. County or Parish, State
CHECK APPROPRIATE BOX(	s) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	ION
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice	Casing Repair Altering Casing	Conversion to Injection
Final Abandonment Notice	Other	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertice Gentlemen Men:	Il pertinent details, and give pertinent dates, including estimated date of cal depths for all markers and zones pertinent to this work.)*	starting any proposed work. If well is directionally drilled,
As of Sept 1, 199	95, Wesgra Corporation become	s the property
of Mr. Clint Howell	l long time partner in the fi	rm.
The operation will o	continue to operate under the	same name
and the address will	remain the same.	
It has always been a	pleasure dealing with you fo	lks, you have
always helpful and cor	rporative. Thanks $\mathcal{ME}$ LR	4400 /
	W. E. (Bil	
		sgra Corporatoion
	110310110, "0	Zeell
	Clint How	ell Ph 66. 301.68312298
all corrispone	lance will be address to the	t address listed above
14. I hereby certify that the foregoing is true and correct		
	Title	Date
(This space for Federal or State office use)		
Approved by	Title	Date
Conditions of approval, if any:		

	of Oil, Gas and Mining OR CHANGE HORKSHEET	*NI	ew owner onl	Y!		St 7-LWP V
Attach a Initial	Il documentation received by the division re each listed item when completed. Write N/A	garding this change. if item is not applic	able.		3.VL 4.R.J	8758-PL D-9-SJ 10-FILE
Chan Desi	ge of Operator (well sold) gnation of Operator	☐ Designation of ☐ Operator Name	Agent Change Only		5 <b>FR</b> 6 <b>G F</b>	
The op	erator of the well(s) listed below h	nas changed (EFFEC	CTIVE DATE:	9-1-95	)	
TO (ne	w operator) WESGRA CORPORATION (address) PO BOX 367  MEXICAN HAT UT 84531  CLINT HOWELL (NEW OWNER) phone (801 ) 683-2298 account no. N1060	FROM (former	(address)	WESGRA CO PO BOX 36 MEXICAN H BILL SKEE phone (40 account no	7 AT UT N 5 ) 521-	84531 8960
Hell(s	) (attach additional page if needed):					
Name: Name: Name: Name:	**SEE ATTACHED**  API: 037-314  API: 4PI: 4PI: 4PI: 4PI: 4PI: 4PI: 4PI: 4	Entity: Entity: Entity: Entity: Entity:	SecTwp SecTwp SecTwp SecTwp SecTwp	Rng Rng Rng Rng	Lease Lease Lease Lease	Type: Type: Type: Type:
Lee 1.	OR CHANGE DOCUMENTATION  (Rule R615-8-10) Sundry or other operator (Attach to this forms. (A	ec'd 4-80-15/				
Le 2.	(Rule R615-8-10) Sundry or other 10 (Attach to this form). (lect 9-20-95)	<u>egal</u> documentatio	n has been	received f	rom <u>ne</u>	w operator
1	The Department of Commerce has been operating any wells in Utah. Is yes, show company file number:	n contacted if th company registere	e new opera	tor above	is not	currently
<u>N/4</u> 4.	(For Indian and Federal Hells ONL (attach Telephone Documentation F comments section of this form. M changes should take place prior to	form to this rep anagement review	ort). Mak of <b>Federal</b>	e note of <b>and Indi</b>	f BLM <mark>an we</mark> ll	status in
<i>NA</i> 5.	Changes have been entered in the $\dot{\rm O}$ listed above.	il and Gas Inform	ation Syste	m (Wang/IB	BM) for	each well
<u>N/A</u> 6.	Cardex file has been updated for ea	ich well listed at	ove.			. •
	Well file labels have been updated					
<u>N/A</u> 8.	Changes have been included on the for distribution to State Lands and	monthly "Operator I the Tax Commissi	r, Address, ion.	and Accou	ınt Cha	nges" memo

A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

OPERATOR	R CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
//	REVIEH
<u>uc</u> 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
<u>N/4</u> 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VI	ERIFICATION (Fee wells only) INLCC #007230/\$10,000 "Zions First Nat'l Bank"
Lec 1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
Lec 3.	The former operator has requested a release of liability from their bond (yes/no)  Today's date
	INTEREST OHNER NOTIFICATION RESPONSIBILITY
TS	(Rule R615-2-10) The former operator/lessee of any <b>fee lease</b> well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
<u>/4</u> 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
<u>/</u> 1.	All attachments to this form have been microfilmed. Date: <u>October 20</u> 19 <u>95</u> .
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	TS .
_	
·	

WE71/34-35